



One Cambridge Place, 50 Hampshire Street
Cambridge, Massachusetts 02139
tel: +1 617 452-6000
fax: +1 617 452-8000

June 7, 2010

Mr. David Ellis
Department of Environmental Protection
Southeast Regional Office
20 Riverside Drive
Lakeville, Massachusetts 02347

Subject: Summary of Landfill Gas Sampling Results
Nantucket Landfill – June 2010

Dear Mr. Ellis:

On June 3, 2010 personnel from Camp Dresser & McKee Inc. (CDM) conducted environmental monitoring at the Nantucket Landfill. The environmental monitoring included field screening for landfill gas. The environmental sampling was conducted in accordance with the approved Environmental Monitoring Plan, prepared by SECOR International Inc. in July 1999 and in conformance with the Solid Waste Management Regulations (310 CMR 19.132).

As part of the closure construction at the landfill, the environmental monitoring network was expanded by the addition of seventeen landfill gas wells (LGW-1 through LGW-17). See the site plan for locations of the landfill gas monitoring locations.

Landfill gas wells were screened in the field for the following parameters:

- Hydrogen Sulfide (H₂S);
- Methane (CH₄)
- Lower Explosive Limit (LEL);
- Carbon Dioxide (CO₂);
- Oxygen (O₂) and
- Volatile Organics (VOCs)

Evaluation of Results

Landfill gas wells were screened for the parameters indicated previously in this report. Prior to purging the wells, initial readings were taken at each location. Following recording of the initial readings, approximately 10 minutes was allowed for purging before final readings were recorded.





Mr. David Ellis
June 7, 2010
Page 2

Methane was only detected in one perimeter landfill gas well (LGW-9). Methane was detected at a concentration of 592% of the LEL. LGW-9 is not located at the property line of the site. CDM conducted a probe (PROBE-1) approximately 15 feet from LGW-9. Methane was not detected in PROBE-1. CDM did not conduct the second probe (PROBE-2) since methane was not detected in PROBE-1. Probe-1 was conducted at a depth of approximately 8 feet below grade. Landfill gas is not currently migrating across the property line.

Methane was detected in wells LGW-14 through LGW-17 at concentrations ranging from 1102% to 1274% of the LEL. Wells LGW-14 through LGW-17 are located between Phase I and Phase 2A of the landfill. These wells are most likely located in waste or immediately adjacent to waste. LGW-1, LGW-10 and LGW-11 are located between the landfill and property line/buildings. Methane was not detected in these wells, indicating landfill gas migration is not currently violating solid waste regulations.

Carbon dioxide was detected in most well locations at concentrations ranging from 0.3 to 37.2 percent. Hydrogen sulfide was detected in sampling locations LGW-14 through LGW-17 at concentrations ranging from 6.0 ppm and 96.3 ppm. VOCs were not detected in any sampling locations. Sampling locations are shown on the attached plan and complete sampling results are summarized in Table 1.

CDM submitted a 24-hour notification to MassDEP on June 3, 2010 via email. The next quarterly landfill gas screening is scheduled for August 2010.

Please do not hesitate to call me at (617) 452-6659 if you have any questions or require additional information.

Very truly yours,

Vincent M. Recchia, P.E.
Camp Dresser & McKee Inc.

Attachments

cc: Jeff Willet, Nantucket
Tracy Sundell, Nantucket
Whitney Hall, Waste Options



TABLE 1
 NANTUCKET LANDFILL
 NANTUCKET, MASSACHUSETTS
 GAS WELL MONITORING - JUNE 2010

Gas Well No.	Type	Date	OVM (ppm)		H ₂ S (ppm)		CH ₄ (%)		%LEL		CO ₂ (%)		O ₂	
			Initial	Final	Initial	Final	Initial	Final	Initial	Final	Initial	Final	Initial	Final
LGW-1	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.4	18.8	18.5
LGW-2	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.7	19.2	18.9
LGW-3	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	19.2	18.4
LGW-4	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	20.0	20.0
LGW-5	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.4	16.8	16.8
LGW-6	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.4	12.9	6.1	5.4
LGW-7	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	5.0	16.1	16.1
LGW-8	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	19.6	19.9
LGW-9	Well	6/3/2010	0.2	0.0	0.0	0.0	28.0	29.6	560.0	592.0	36.0	37.2	2.7	2.3
LGW-10	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	19.2	19.2
LGW-11	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	19.1	19.2
LGW-12	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	19.5	19.6
LGW-13	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	19.6	19.7
LGW-14	Well	6/3/2010	0.0	0.0	1.6	6.5	54.8	55.1	1096.0	1102.0	33.2	33.1	0.3	0.0
LGW-15	Well	6/3/2010	0.0	0.0	1.1	6.0	63.3	63.7	1266.0	1274.0	30.3	29.8	0.9	0.3
LGW-16	Well	6/3/2010	0.0	0.0	83.7	96.3	56.9	58.2	1138.0	1164.0	31.5	31.1	0.6	0.0
LGW-17	Well	6/3/2010	0.0	0.0	2.8	15.8	56.7	57.1	1134.0	1142.0	36.9	35.7	1.9	0.6
PROBE-1	Well	6/3/2010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.0	16.4	17.8
PROBE-2	Well	6/3/2010	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

- Notes:
1. Wells and probes were purged for approximately 10 minutes before final readings were recorded.
 2. Methane measured with combustible gas indicator.