

GENERAL NOTES:


1. THE EXISTING CONDITIONS INFORMATION WAS COMPILED FROM A GROUND SURVEY COMPLETED BY THE OWNER, AND AVAILABLE RECORDS OF THE OWNER AND OTHER TOWN DEPARTMENTS, AND THE ABOVE GROUND AND BELOW GROUND UTILITIES ARE SHOWN ONLY TO INDICATE THAT THEY MAY EXIST IN THE AREA OF CONSTRUCTION.
2. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO INSPECT THE SITE THOROUGHLY PRIOR TO BID PREPARATION TO DETERMINE THAT THE BID IS BASED UPON ACTUAL FIELD CONDITIONS.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING DG-SAFE PRIOR TO ANY EXCAVATION. THE CONTRACTOR SHALL ALSO REQUEST BARRIERS OF TOWN UTILITIES FROM THE APPROPRIATE DEPARTMENT, I.E. NANTUCKET DPW FOR DRAIN AND SEWER, AND WANNACOMET WATER COMPANY FOR WATER.
4. FOLLOWING DG-SAFE NOTIFICATION AND COMPLETION OF MAINTENANCE THE CONTRACTOR AND OWNER SHALL REVIEW SITE CONDITIONS AND MAKE A FINAL DETERMINATION ON WATER MAIN LOCATIONS.
5. HYDRANT LOCATIONS SHALL BE CHOSEN IN THE FIELD BY THE OWNER.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DIGGING TEST PITS AHEAD OF CONSTRUCTION TO DETERMINE THE EXACT LOCATION AND DEPTH OF ANY UNDERGROUND UTILITIES THAT MAY BE CONTACTED OR CROSSED DURING THE PIPING INSTALLATION.
7. THE CONTRACTOR SHALL NOTIFY ALL RESIDENTS AFFECTED BY THE PLANNED CONSTRUCTION A MINIMUM OF 48 HRS IN ADVANCE OF THE WORK AFFECTING THEM.
8. THE CONTRACTOR SHALL CONDUCT HIS OPERATIONS TO INTERFERE AS LITTLE AS POSSIBLE WITH THE LOCAL RESIDENTS, AND HE/SHOULD MAINTAIN EMERGENCY ACCESS TO ALL HOMES AND BUSINESSES DURING THE PROJECT. PARTICULAR CARE SHALL BE TAKEN TO MAINTAIN EMERGENCY VEHICLE ACCESS TO THE NANTUCKET COURAGE HOSPITAL.
9. THE INTENT OF THIS CONTRACT IS TO INSTALL NEW 8, 8, 8, AND 12-INCH D.I. WATER MAINS IN THE ROADS INDICATED ON THE DRAWINGS, AND ONCE ACTIVATED, TO ABANDON THE EXISTING WATER MAINS ON THESE ROADS.
10. THE NEW WATER MAIN MUST BE INSTALLED TO AVOID ALL EXISTING WATER PIPING AND SERVICE TUBING TO ALLOW THE EXISTING SYSTEM TO REMAIN IN SERVICE UNTIL THE NEW MAIN IS ACTIVATED.
11. THE CONTRACTOR SHALL PROVIDE AND INSTALL BENCHES AS NECESSARY TO AVOID EXISTING UNDERGROUND PIPING, HORIZONTALLY AND VERTICALLY.
12. THE INTENDED MANSION COVER OVER THE NEW WATER MAINS IS 4.5-FEET BUT MAY BE MORE TO AVOID EXISTING UTILITIES. IF IN CROSSING ANOTHER EXISTING UNDERGROUND PIPE THERE WILL BE A MINIMUM 8-INCHES OF CLEARANCE, THE MINIMUM ACCEPTED COVER CAN BE REDUCED TO 4.0-FEET, OR LESS, ONLY IF APPROVED BY THE OWNER.
13. THE BRANCH CONNECTIONS ARE SHOWN OFFSET WITH ASSOCIATED BENCHES, BUT IN THE EVENT THAT THE CONNECTIONS CAN BE MADE DIRECT BY CUTTING OUT THE EXISTING MAIN ONCE SHUT DOWN, THEN THE CONNECTIONS SHALL BE MADE IN THAT FASHION.
14. THE CONTRACTOR SHALL TAKE EXTRA PRECAUTIONS IN MAKING ALL CONNECTIONS TO UNCOVER AND CLEAN ALL FITTINGS, TO FLUSH THE LINE AND VALVES TO WHICH HE SHALL CONNECT, AND TO DRAIN ALL CONNECTION PIECES WITH A CHLORINE SOLUTION.
15. THE INTENT OF THIS CONTRACT IS TO PROVIDE A NEW SERVICE TO ALL EXISTING HOMES AND BUSINESSES WITH AN EXISTING SERVICE, AND TO OTHER LOCATIONS AS DIRECTED BY THE OWNER. A NEW CURB STOP SHALL BE INSTALLED WITHIN 24" OF THE EXISTING METER PIT, AND THE NEW SERVICE TUBING SHALL BE CONNECTED TO THE EXISTING METER SETTER. THE CONTRACTOR SHALL PROVIDE ANY NECESSARY ADAPTERS TO CONNECT TO THE EXISTING METER SETTER.
16. ONCE THE NEW PIPING SYSTEM HAS BEEN ACTIVATED, ALL EXISTING ABANDONED HYDRANTS, VALVE BOXES, AND SERVICE BOXES SHALL BE REMOVED AND PROPERLY DISPOSED OF. THE ENDS OF ALL ABANDONED PIPING SHALL BE CAPPED FOR THE SPECIFICATIONS.
17. ALL MAILBOXES, SIGNS, FENCES, ETC. REMOVED TO ALLOW INSTALLATION OF THE WATER MAIN SHALL BE CAREFULLY STORED AND REINSTALLED IMMEDIATELY AFTER INSTALLATION, BACKFILL, AND COMPACTION OF THE TRENCH.
18. ANY GRANITE OR CONCRETE CURBING, BELGIAN BLOCK, BRICK, COBBLESTONE, OR SIMILAR SURFACES, THAT HAS TO BE REMOVED TO INSTALL THE MAIN OR SERVICE PIPING SHALL BE HEAVILY STOCKPILED AT THE CONSTRUCTION SITE, AND AFTER THE PIPING HAS BEEN INSTALLED, BACKFILLED, AND COMPACTED, SHALL BE RE-INSTALLED TO MATCH EXISTING CONDITIONS. MATERIALS UNSUITABLE TO BE RE-INSTALLED SHALL BE REPLACED WITH LIKE MATERIALS.
19. IN AREAS WHERE BRUSH OR OVERGROWTH HAS BEEN APPROVED FOR TRIMMING TO ALLOW THE PIPING TO BE INSTALLED, THE CONTRACTOR SHALL CAREFULLY AND NEATLY TRIM SUCH GROWTHS AS APPROVED, AND ONCE THE PIPING HAS BEEN INSTALLED AND THE BACKFILL COMPLETED THE CONTRACTOR SHALL AGAIN TRIM AND REMOVE ANY BRANCHES BROUGHT OR STEPPED CLEAN BY CONTACT WITH THE CONSTRUCTION EQUIPMENT.

**WANNACOMET WATER COMPANY
BOARD OF WATER COMMISSIONERS
NANTUCKET, MASSACHUSETTS**

**CONTRACT NO. 2017-1
PROSPECT ST. AREA
WATER MAIN REPLACEMENT**

INDEX

DWG. NO.	DRAWING NAME
1	COVER SHEET/GENERAL NOTES
2	ATLANTIC AVE. PROSPECT ST.
3	PROSPECT ST.
4	PROSPECT ST., NEW MILL ST., JOY ST., MT. WISHON ST., AND MIX ST.
5	WATER MAIN DETAILS



EXISTING CONDITIONS LEGEND

EDGE OF PAVEMENT	---
EDGE OF GRAVEL SURFACE	----
UTILITY POLE	○
CATCH BASIN	⊞
SPLIT RAIL FENCE	-X-X-X-X-
CEDAR RAIL FENCE	-X-X-X-X-
EDGE OF BRUSH	~~~~~
TREE LINE	~~~~~
MAIL BOXES	⊞
SIGNS	⊞
METER PIT	⊞

ABBREVIATIONS

EOP	EDGE OF PAVEMENT
COB	CAPE COD BORN
GC	GRANITE CURBING
CC	CONCRETE CURBING
ASPH	ASPHALT
BR	BRICK
BB	BELGIAN BLOCK
SS	SEA SHELL
PEA	PEA STONE
HH	HANDHOLE

NEW CONSTRUCTION LEGEND

NEW WATER PIPE	---
NEW VALVE	X
NEW HYDRANT ASSEMBLY	⊞
NEW BENCH	AA
NEW PLUG OR CAP	⊞
NEW COUPLING	⊞
NEW TEE	⊞

BOARD OF WATER COMMISSIONERS

**NELSON K. ELDRIDGE, CHAIRPERSON
ALLEN REINHARD
NOREEN SLAVITZ**

GENERAL MANAGER

ROBERT GARDNER

**HALEY AND WARD, INC.
ENGINEERS
MAYNARD, MASSACHUSETTS
DECEMBER, 2016**

WANNACOMET WATER COMPANY
BOARD OF WATER COMMISSIONERS
**PROSPECT STREET
AREA WATER MAIN
REPLACEMENT**

VISIT OUR WEB SITE
WWW.HALEYWARD.COM
PLAN NUMBER LISTS
MANUAL DESCRIPTIONS
PROJECT INFORMATION
CONTACT INFORMATION
SPECIFICATIONS

Haley and Ward, Inc.
65 GREAT ROAD, SUITE 200,
MAYNARD, MASSACHUSETTS 01957
PHONE (978) 648-0033 FAX (978) 648-0088
WWW.HALEYWARD.COM









DATE	BY

SHEET NO.	1 OF 5
CONTRACT NO.	2017-1
SCALE	NONE
DATE DRAWN	DECEMBER 2016
DRAWN BY	LUC
FILE NO.	NAN-100-001.DWG


DWG. NO.

1

J:\Manufact\100 Prospect Street Area Vesper Main Replacement 2017-1\CADD\MAN-100_SHEETS 2-4.dwg 13/02/2016 3:46:40 PM





NOTE:
PROPOSED PE WATER SERVICES ARE NOT SHOWN ON THE DRAWINGS. NEW METER SERVICES BETWEEN ROW MAN AND EXISTING METER PIT SHALL GENERALLY BE LOCATED IMMEDIATELY ADJACENT TO EXISTING TUBING.




MANNAOMET WATER COMPANY BOARD OF WATER COMMISSIONERS													
PROSPECT STREET AREA WATER MAIN REPLACEMENT													
ATLANTIC AV. PROSPECT ST.													
Haley and Ward, Inc. 63 GREAT ROAD, SUITE 200, MAYNARD, MASSACHUSETTS 01754-2007 PHONE (978) 646-6622 FAX (978) 646-6666 www.haleyward.com													
													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>DESIGNED BY:</td> <td>DATE:</td> </tr> <tr> <td>REVISIONS:</td> <td>DATE:</td> </tr> </table>	DESIGNED BY:	DATE:	REVISIONS:	DATE:									
DESIGNED BY:	DATE:												
REVISIONS:	DATE:												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>SHEET NO.:</td> <td>2 OF 5</td> </tr> <tr> <td>CONTRACT NO.:</td> <td>2017-1</td> </tr> <tr> <td>SCALE:</td> <td>1" = 40'</td> </tr> <tr> <td>DATE DRAWN:</td> <td>DECEMBER, 2019</td> </tr> <tr> <td>DRAWN BY:</td> <td>LAC</td> </tr> <tr> <td>FILE NO.:</td> <td>MAN-100-SHEETS 2-4.DWG</td> </tr> </table>	SHEET NO.:	2 OF 5	CONTRACT NO.:	2017-1	SCALE:	1" = 40'	DATE DRAWN:	DECEMBER, 2019	DRAWN BY:	LAC	FILE NO.:	MAN-100-SHEETS 2-4.DWG	
SHEET NO.:	2 OF 5												
CONTRACT NO.:	2017-1												
SCALE:	1" = 40'												
DATE DRAWN:	DECEMBER, 2019												
DRAWN BY:	LAC												
FILE NO.:	MAN-100-SHEETS 2-4.DWG												
DWG. NO.													
2													


C:\PROJECTS\2017\PROSPECT ST. AND YORK ST. CONNECTION DETAIL.dwg (11/14/2017) 11:45 AM




PROSPECT ST. AND YORK ST. CONNECTION DETAIL



YORK ST. AND SOUTH HILL ST. CONNECTION DETAIL




PROSPECT ST. AND NORTH MILL ST. CONNECTION DETAIL



NORTH MILL ST. AND MILL HILL ST. CONNECTION DETAIL

RELOCATE EXISTING METER PIT; LOCATION TO BE DETERMINED IN THE FIELD

NOTE:
PROPOSED PE WATER SERVICES ARE NOT SHOWN ON THE DRAWINGS. NEW METER SERVICES BETWEEN NEW MAIN AND EXISTING METER PIT SHALL GENERALLY BE LOCATED IMMEDIATELY ADJACENT TO EXISTING TURNING.



WANNACOMET WATER COMPANY
BOARD OF WATER COMMISSIONERS

PROSPECT STREET AREA WATER MAIN REPLACEMENT

PROSPECT ST.

Haley and Ward, Inc.
 25 CHURCH ROAD, SUITE 200A
 WANNACOMET, MA 01938
 PHONE: (978) 848-8025 FAX: (978) 848-8008
 www.haleyward.com

CHECKED	DATE	BY

SHEET NO.: 3 OF 3
CONTRACT NO.: 2017-1
SCALE: 1" = 40'
DATE DRAWN: DECEMBER, 2015
DRAWN BY: LUC
FILE NO.: MAIN-COL-SHEETS 2-DWG

DWG. NO.

3

GENERAL NOTES:


1. THE EXISTING CONDITIONS INFORMATION WAS COMPILED FROM A GROUND SURVEY COMPLETED BY THE OWNER, AND AVAILABLE RECORDS OF THE OWNER AND OTHER TOWN DEPARTMENTS, AND THE ABOVE GROUND AND BELOW GROUND UTILITIES ARE SHOWN ONLY TO INDICATE THAT THEY MAY EXIST IN THE AREA OF CONSTRUCTION.
2. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO INSPECT THE SITE THOROUGHLY PRIOR TO BID PREPARATION TO DETERMINE THAT THE BID IS BASED UPON ACTUAL FIELD CONDITIONS.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING DG-SAFE PRIOR TO ANY EXCAVATION. THE CONTRACTOR SHALL ALSO REQUEST A BAYBOUT OF TOWN UTILITIES FROM THE APPROPRIATE DEPARTMENT, I.E. NANTUCKET DPW FOR DRAIN AND SEWER, AND WANNACOMET WATER COMPANY FOR WATER.
4. FOLLOWING DG-SAFE NOTIFICATION AND COMPLETION OF BAYBOUTS THE CONTRACTOR AND OWNER SHALL REVIEW SITE CONDITIONS AND MAKE A FINAL DETERMINATION ON WATER MAIN LOCATIONS.
5. HYDRANT LOCATIONS SHALL BE CHOSEN IN THE FIELD BY THE OWNER.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DIGGING TEST PITS AHEAD OF CONSTRUCTION TO DETERMINE THE EXACT LOCATION AND DEPTH OF ANY UNDERGROUND UTILITIES THAT MAY BE CONTACTED OR CROSSED DURING THE PIPING INSTALLATION.
7. THE CONTRACTOR SHALL NOTIFY ALL RESIDENTS AFFECTED BY THE PLANNED CONSTRUCTION A MINIMUM OF 48 HRS IN ADVANCE OF THE WORK AFFECTING THEM.
8. THE CONTRACTOR SHALL CONDUCT HIS OPERATIONS TO INTERFERE AS LITTLE AS POSSIBLE WITH THE LOCAL RESIDENTS, AND HE/SHOULD MAINTAIN EMERGENCY ACCESS TO ALL HOMES AND BUSINESSES DURING THE PROJECT. PARTICULAR CARE SHALL BE TAKEN TO MAINTAIN EMERGENCY VEHICLE ACCESS TO THE NANTUCKET Cottage Hospital.
9. THE INTENT OF THIS CONTRACT IS TO INSTALL NEW 8, 8, 8, AND 12-INCH D.I. WATER MAINS IN THE ROADS INDICATED ON THE DRAWINGS, AND ONCE ACTIVATED, TO ABANDON THE EXISTING WATER MAINS ON THESE ROADS.
10. THE NEW WATER MAIN MUST BE INSTALLED TO AVOID ALL EXISTING WATER PIPING AND SERVICE TUBING TO ALLOW THE EXISTING SYSTEM TO REMAIN IN SERVICE UNTIL THE NEW MAIN IS ACTIVATED.
11. THE CONTRACTOR SHALL PROVIDE AND INSTALL BENCHES AS NECESSARY TO AVOID EXISTING UNDERGROUND PIPING, HORIZONTALLY AND VERTICALLY.
12. THE INTENDED MANHOLE COVER OVER THE NEW WATER MAINS IS 4.5-FEET BUT MAY BE MORE TO AVOID EXISTING UTILITIES. IF IN CROSSING ANOTHER EXISTING UNDERGROUND PIPE THERE WILL BE A MINIMUM 8-INCHES OF CLEARANCE, THE MINIMUM ACCEPTED COVER CAN BE REDUCED TO 4.0-FEET, OR LESS, ONLY IF APPROVED BY THE OWNER.
13. THE BRANCH CONNECTIONS ARE SHOWN OFFSET WITH ASSOCIATED BENCHES, BUT IN THE EVENT THAT THE CONNECTIONS CAN BE MADE DIRECT BY CUTTING OUT THE EXISTING MAIN ONCE SHUT DOWN, THEN THE CONNECTIONS SHALL BE MADE IN THAT FASHION.
14. THE CONTRACTOR SHALL TAKE EXTRA PRECAUTIONS IN MAKING ALL CONNECTIONS TO UNCOVER AND CLEAN ALL FITTINGS, TO FLUSH THE LINE AND VALVES TO WHICH HE SHALL CONNECT, AND TO DRAIN ALL CONNECTION PIECES WITH A CHLORINE SOLUTION.
15. THE INTENT OF THIS CONTRACT IS TO PROVIDE A NEW SERVICE TO ALL EXISTING HOMES AND BUSINESSES WITH AN EXISTING SERVICE, AND TO OTHER LOCATIONS AS DIRECTED BY THE OWNER. A NEW CURB STOP SHALL BE INSTALLED WITHIN 24" OF THE EXISTING METER PIT, AND THE NEW SERVICE TUBING SHALL BE CONNECTED TO THE EXISTING METER SETTER. THE CONTRACTOR SHALL PROVIDE ANY NECESSARY ADAPTERS TO CONNECT TO THE EXISTING METER SETTER.
16. ONCE THE NEW PIPING SYSTEM HAS BEEN ACTIVATED, ALL EXISTING ABANDONED HYDRANTS, VALVE BOXES, AND SERVICE BOXES SHALL BE REMOVED AND PROPERLY DISPOSED OF. THE ENDS OF ALL ABANDONED PIPING SHALL BE CAPPED FOR THE SPECIFICATIONS.
17. ALL MAILBOXES, SIGNS, FENCES, ETC. REMOVED TO ALLOW INSTALLATION OF THE WATER MAIN SHALL BE CAREFULLY STORED AND REINSTALLED IMMEDIATELY AFTER INSTALLATION, BACKFILL, AND COMPACTION OF THE TRENCH.
18. ANY GRANITE OR CONCRETE CURBING, BELGIAN BLOCK, BRICK, COBBLESTONE, OR SIMILAR SURFACES, THAT HAS TO BE REMOVED TO INSTALL THE MAIN OR SERVICE PIPING SHALL BE HEAVILY STOCKPILED AT THE CONSTRUCTION SITE, AND AFTER THE PIPING HAS BEEN INSTALLED, BACKFILLED, AND COMPACTED, SHALL BE RE-INSTALLED TO MATCH EXISTING CONDITIONS. MATERIALS UNSUITABLE TO BE RE-INSTALLED SHALL BE REPLACED WITH LIKE MATERIALS.
19. IN AREAS WHERE BRUSH OR OVERGROWTH HAS BEEN APPROVED FOR TRIMMING TO ALLOW THE PIPING TO BE INSTALLED, THE CONTRACTOR SHALL CAREFULLY AND NEATLY TRIM SUCH GROWTHS AS APPROVED, AND ONCE THE PIPING HAS BEEN INSTALLED AND THE BACKFILL COMPLETED THE CONTRACTOR SHALL AGAIN TRIM AND REMOVE ANY BRANCHES BROUGHT OR STEPPED CLEAN BY CONTACT WITH THE CONSTRUCTION EQUIPMENT.

**WANNACOMET WATER COMPANY
BOARD OF WATER COMMISSIONERS
NANTUCKET, MASSACHUSETTS**

**CONTRACT NO. 2017-1
PROSPECT ST. AREA
WATER MAIN REPLACEMENT**

INDEX

DWG. NO.	DRAWING NAME
1	COVER SHEET/GENERAL NOTES
2	ATLANTIC AVE. PROSPECT ST.
3	PROSPECT ST.
4	PROSPECT ST., NEW MILL ST., JOY ST., MT. WISHON ST., AND MEX ST.
5	WATER MAIN DETAILS



EXISTING CONDITIONS LEGEND

EDGE OF PAVEMENT	---
EDGE OF GRAVEL SURFACE	---
UTILITY POLE	○
CATCH BASIN	⊞
SPLIT RAIL FENCE	-X-X-X-X-
CEDAR RAIL FENCE	-X-X-X-X-
EDGE OF BRUSH	~~~~~
TREE LINE	~~~~~
MAIL BOXES	⊞
SIGNS	⊞
METER PIT	⊞

ABBREVIATIONS

EOP	EDGE OF PAVEMENT
COB	CAPE COD BORN
GC	GRANITE CURBING
CC	CONCRETE CURBING
ASPH	ASPHALT
BR	BRICK
BB	BELGIAN BLOCK
SS	SEA SHELL
PEA	PEA STONE
HH	HANDHOLE

NEW CONSTRUCTION LEGEND

NEW WATER PIPE	---
NEW VALVE	X
NEW HYDRANT ASSEMBLY	⊞
NEW BENCH	AA
NEW PLUG OR CAP	⊞
NEW COUPLING	⊞
NEW TEE	⊞

BOARD OF WATER COMMISSIONERS

**NELSON K. ELDRIDGE, CHAIRPERSON
ALLEN REINHARD
NOREEN SLAVITZ**

GENERAL MANAGER

ROBERT GARDNER

**HALEY AND WARD, INC.
ENGINEERS
MAYNARD, MASSACHUSETTS
DECEMBER, 2016**

WANNACOMET WATER COMPANY
BOARD OF WATER COMMISSIONERS
**PROSPECT STREET
AREA WATER MAIN
REPLACEMENT**

VISIT OUR WEB SITE
WWW.HALEYWARD.COM
PLAN NUMBER LISTS
PROJECT DESCRIPTIONS
CONTACT INFORMATION
SCHEDULE






Haley and Ward, Inc.
65 GREAT ROAD, SUITE 200,
MAYNARD, MASSACHUSETTS 01957
PHONE (978) 648-0033 FAX (978) 648-0088
www.haleyward.com




DATE	BY	REVISION

SHEET NO. 1 OF 5
CONTRACT NO. 2017-1
SCALE: NONE
DATE DRAWN: DECEMBER 2016
DRAWN BY: LUC
FILE NO.: NAN-100-001.DWG

**DWG. NO.
1**



NOTE:
 PROPOSED PE WATER SERVICES ARE NOT SHOWN ON THE DRAWINGS. NEW METER SERVICES BETWEEN ROW MAIN AND EXISTING METER PIT SHALL GENERALLY BE LOCATED IMMEDIATELY ADJACENT TO EXISTING TUBING.



PROSPECT STREET AREA WATER MAIN REPLACEMENT

ATLANTIC AV. PROSPECT ST.

Haley and Ward, Inc.
 63 GREAT ROAD, SUITE 200,
 MAYNARD, MASSACHUSETTS 01754-2007
 PHONE (978) 646-6622 FAX (978) 646-6666
 www.haleyward.com

DATE	BY	REVISION

SHEET NO.: 2 OF 5	DATE: 12/15/16
CONTRACT NO.: 2017-1	SCALE: 1" = 40'
DATE DRAWN: DECEMBER, 2016	DRAWN BY: LAC
FILE NO.: MAN-100-SHEETS 2-4.DWG	

DWG. NO. 2